



[vc\_row full\_width="stretch\_row\_content\_no\_spaces"][vc\_column width="1/2" la\_animation\_duration="1" la\_animation\_delay="0" la\_animation\_iteration\_count="1" css=".vc\_custom\_1565674769810{padding-left: 10% !important;}"]

## Sundeek Platinum Plywood

Sundeek Platinum Marine Plywood is manufactured from 100% Natural Meghalaya Hardwood core with AA+ grade Gurjan face veneer. The brand is a symbol of the **best veneer, best Facade Manufacturers in India** and **laminates for bedroom** across the nation.

[vc\_column\_text]

**Sundeek Platinum Marine Plywood** is manufactured from **100% Natural Meghalaya Hardwood** core with AA+ grade Gurjan face veneer and is bonded with undiluted Phenol Formaldehyde Resin, which is manufactured in a single stage, at extremely high temperature and pressure. Therefore, this plywood can take extreme changes in temperature, humidity and alternate wetting and drying atmosphere which are all the prerequisites for plywood used in marine applications. Being powder proof it guarantees protection against borer and termites. Due to its nature of application it is made to resist fungal and micro bacterial attacks also. This **Platinum Marine Plywood** is undergoes to URT (Underground Retention Test) process to test its resistance against micro organism. It is dimensionally stable and an ideal choice for high quality projects.

[/vc\_column\_text]

### **Advantages of using Platinum Marine Plywood :**

[vc\_column\_text el\_class="list-icon-checked text-color-secondary"]

**Platinum Marine Plywood** has excellent water proof panel and can be used in outdoor applications confidently



High density of water proof panel makes it perfect for screwing and cutting.  
High density of water proof panel makes it perfect for screwing and cutting.  
Longer Life in comparison to other options available in the market  
Calibrated panel, so that it can be used at highly precise architectural work.

**Product is under Sundek's Loyalty - 15 Years Warranty.**

[/vc\_column\_text][vc\_row\_inner][vc\_column\_inner el\_class="optiontableclass" width="2/3" la\_animation\_duration="1" la\_animation\_delay="0" la\_animation\_iteration\_count="1"]

## Options Available

[vc\_column\_text]**Thickness (mm) : : Plywood - 4, 6, 9, 12, 16, 19 & 25 mm**

**Grade :** Boiling Water Proof

**Standard Sizes (mm) :** 2440 x 1220, 2140 x 1220, 2140 x 920, 1830 x 1220

mm[/vc\_column\_text][vc\_column\_inner][vc\_column\_inner width="1/3"][/vc\_column\_inner][vc\_row\_inner][vc\_column][vc\_column width="1/2"][vc\_single\_image image="5196" img\_size="full" el\_class="borderwithoutimg"][/vc\_column][vc\_row][vc\_row full\_width="stretch\_row\_content"][vc\_column][vc\_empty\_space height="60px"]

## USP OF SUNDEK Plywood

[vc\_column\_text]

Tested and Trusted Features For Incomparable Plywood Products

[/vc\_column\_text][vc\_column][vc\_row][vc\_row full\_width="stretch\_row\_content" el\_class="borderwithoutimg"][vc\_column width="1/5"][vc\_single\_image image="5249" img\_size="full" el\_class="boxcolordarvaza"][/vc\_column][vc\_column width="1/5"][vc\_single\_image image="5250" img\_size="full" el\_class="boxcolordarvaza"][/vc\_column][vc\_column width="1/5"][vc\_single\_image image="5251" img\_size="full" el\_class="boxcolordarvaza"][/vc\_column][vc\_column width="1/5"][vc\_single\_image image="5252" img\_size="full"]



el\_class="boxcolordarvaza"/>[vc\_column width="1/5"] [vc\_single\_image image="5253" img\_size="full" el\_class="boxcolordarvaza"/>[vc\_column]/[vc\_row] [vc\_row full\_width="stretch\_row\_content" el\_class="borderwithoutimg"/>[vc\_column width="1/5"] [vc\_single\_image image="5254" img\_size="full" el\_class="boxcolordarvaza"/>[vc\_column] [vc\_column width="1/5"] [vc\_single\_image image="5255" img\_size="full" el\_class="boxcolordarvaza"/>[vc\_column] [vc\_column width="1/5"] [vc\_single\_image image="5257" img\_size="full" el\_class="boxcolordarvaza"/>[vc\_column] [vc\_column width="1/5"] [vc\_single\_image image="5258" img\_size="full" el\_class="boxcolordarvaza"/>[vc\_column] [vc\_column width="1/5"] [vc\_single\_image image="5259" img\_size="full" el\_class="boxcolordarvaza"/>[vc\_column]/[vc\_row]